

CABOS ESPECIAIS








	<u> </u>
'	
	Estes cabos também
	podem ser
	compactados!
	- <u>=</u> ©

* considerar 20% a mais na carga de ruptura


		Carga de Ruptura Mínima						
Ø do Cabo		IPS 1770		EIPS 1960		EEIPS 2160		
Pol	(mm)	kgf		kgf		kgf		
1/4"	6,35	2.132	2.590	2.360	2.868	2.601	3.161	
5/16"	7,94	3.330	4.046	3.688	4.481	4.064	4.938	
3/8"	9,53	4.796	5.828	5.311	6.453	5.853	7.112	
	10	5.287	6.423	5.854	7.113	6,451	7,839	
7/16"	11,11	6.525	7.928	7.226	8.779	7.963	9.675	
	12	7.613	9.249	8.430	10.242	9.290	11.287	
1/2"	12,7	8.527	10.360	9,442	11.472	10.405	12.643	
	13	8.934	10.855	9.893	12.021	10.903	13.247	
9/16"	14,29	10.792	13.112	11.950	14.519	13.169	16.001	
5/8"	15,88	13.323	16.188	14./53	17.925	16.258	19.754	
-	16	13.534	16.443	14.986	18,209	16.516	20.067	
3/4"	19,05	19.185	23.310	21.244	25.812	23.412	28.446	
	20	21.146	25.693	23.416	28.451	25,806	31.354	
7/8"	22,22	26.101	31.713	28,903	35.118	31.852	38.701	
1"	25,4	34.107	41.440	37.768	45.889	41.622	50.571	
	26	35.737	43.421	39.573	48.082	43.611	52.988	
1.1/8*	28,58	43.166	52.448	47.800	58.078	52.677	64.004	
1.1/4*	31,75	53.292	64.750	59.012	71.701	65.034	79.017	
-	32	54.134	65.774	59.945	72.834	66.062	80.267	
1.3/8*	34,93	64,483	78.348	71,405	86,758	78.691	95.611	
	36	68.514	83.245	75.868	92.181	83.610	101.587	
1.7/16"	36,51	70.469	85.621	78.033	92.182	85.996	104.486	
1.1/2*	38,1	76.740	93.240	84.978	103.249	93.649	113,785	












ATENÇÃO!


Cabos e cordoalhas podem ser fabricados nos seguintes materiais:

- Galvanizado Tipo B
- Inox AISI 316L
- Inox AISI 304L
- Polido

CABOS ESPECIAIS







S	8x25



		Carga de Ruptura Mínima						
Ø do Cabo		IPS 1770		EIPS 1960		EEIPS 2160		
Pol	(mm)	kgf		kgf		kgf		
3/4"	6,35	2.132	2.590	2.360	2.868	2.601	3.161	
5/16"	7,94	3.330	4.046	3.688	4.481	4.064	4.938	
3/8"	9,53	4.795	5.828	5.311	6.453	5,853	7,112	
223	10	5.287	6.423	5.854	7.113	6.451	7.839	
7/16"	11,11	6,525	7.928	7.226	8.779	7,963	9.675	
70%	12	7.613	9.249	8,430	10.242	9.290	11.287	
1/2"	12,7	8.527	10.360	9,442	11.472	10.405	12.643	
T-2	13	8,934	10.855	9.893	12.021	10.903	13.247	
9/16"	14,29	10.792	13.112	11.950	14.519	13.169	16,001	
5/8"	15,88	13.323	16.188	14.753	17.925	16.258	19.754	
1 53	16	13.534	16.443	14.986	18.209	16.516	20.067	
3/4"	19,05	19.185	23.310	21.244	25,812	23.412	28.446	
200	20	21.146	25.693	23.416	28.451	25.806	31.354	
7/8"	22,22	26.101	31.713	28.903	35.118	31.852	38,701	
1"	25,4	34,107	41.440	37.768	45.889	41.622	50.571	
-	26	35,737	43.421	39.573	48.082	43.611	52.988	
1. 1/8"	28,58	43.166	52.448	47.800	58.078	52.677	64.004	
1. 1/4"	31,75	53.292	64.750	59.012	71.701	65.034	79.017	
70.	32	54.134	65.774	59,945	72.834	66.062	80.267	
1, 3/8"	34,93	64.483	78.348	71.405	86.758	78.691	95.611	
99.1	36	68.514	83.245	75.868	92.181	83.610	101,587	
. 7/16"	36,51	70.469	85.621	78.033	92.182	85.996	104.486	
1. 1/2"	38,1	76.740	93.240	84.978	103.249	93.649	113.785	

ATENÇÃO!

Cabos e cordoalhas podem ser fabricados nos seguintes materiais:

- Galvanizado Tipo B
- Inox AISI 316L
- Inox AISI 304L
- Polido

APLICAÇÃO







